



# Automatic folding door

Featuring a BREAK-OUT SYSTEM, this automatic folding door is safe, practical and space-saving. Easily installed, it provides the ideal solution for narrow entrances



<b>Technical data</b>	
<b>Clear opening width (A)</b>	max. 2000 mm
<b>Weight of door leaves max.</b>	Maximum 150 kg ( 4x 37.5 kg )
<b>Operating speed</b>	0.7 m/s
<b>Clear height of passage (G)</b>	up to 2500 mm
<b>Drive unit dimension (height/depth) (support length (F) = 2A + 100)</b>	180 / 240 mm
<b>Main voltage</b>	230 V / 50/60 Hz
<b>Housing and door leaves</b>	30 mm (glass up to 20 mm)
<b>Surface finishes</b>	Coloured or anodised
<b>Assembly options</b>	wall or beam assembly

### Standard Equipment consists of:

- complete record system door package plus accessories kit, including factory settings, (TÜV B- Nr. G 238/1)

### Special:

- with opening widths less than 1000 mm → DDF construction (two single door leaves)

### Optional accessories

- function switch (BDE)
- key operated contact (SSK)
- VRR interlock (manual release indoor/outdoor HEI, HEA)
- door and interlock surveillance
- range of trigger devices (radar, push button, sensor unit, foot pedal)
- module for extended functionality (FEM)
- floor channel
- additional emergency battery in case of power failure BAT 107
- emergency cut-off switch
- LON 16 communication module for integration into local building management systems
- additional safety sensors

### Basic functions

- automatic operation with total or reduced opening width
- one way traffic
- continuously open
- manual control
- interlock function
- operating lock
- bell option
- automatic reverse

### Optional functions

- interlock control
- emergency cut-off function
- remote control and surveillance
- night control
- door leaf surveillance
- interlock control

### Upgradeable to ...

- FBO for escape route protection, interlock

### Suitable for:

For purviews, who "nearly no place" for door automatic exists, for inside- and outside application

for passages, office- or toilets entrance in restaurants- and hotels for kitchen entry-door etc.

### Benefits to the customer:

comfort  
for narrowest room relationship too

**record** automatic doors:  
complex requirements easy released ....

# Automatic folding door


Featuring a BREAK-OUT SYSTEM, this automatic folding door is safe, practical and space-saving. Easily installed, it provides the ideal solution for narrow entrances

## Technische Daten


### Vertikalschnitt Wandmontage

Beispiel mit:


- Profilsystem 30 mm
- Antriebsverkleidung H 180 mm



### Türflügel geschlossen



### Türflügel geöffnet



A: Durchgangsbreite  
G: Durchgangshöhe

# Automatic folding door


Featuring a BREAK-OUT SYSTEM, this automatic folding door is safe, practical and space-saving. Easily installed, it provides the ideal solution for narrow entrances

## Technische Daten


### Vertikalschnitt Trägermontage

Beispiel mit:


- Profilsystem 30 mm
- Antriebsverkleidung H 180 mm



### Türflügel geschlossen



### Türflügel geöffnet



A: Durchgangsbreite  
G: Durchgangshöhe